



The WaterDrop Line: Redefining Water Plate Processing

The WaterDrop line introduces an innovative approach to water plate processing, combining high performance with an environmentally friendly water-based system. Its **closed-loop operation**, featuring an integrated water distillation unit, **eliminates water waste entirely**, ensuring a cleaner and more efficient system. This design significantly **reduces maintenance needs** compared to traditional water processors. Engineered for large-volume production, the unit offers fast inline configuration, making it the perfect solution for modern, sustainable workflows.

KEY FEATURES:

 Superior Washout Quality: The unit features a new brush material and an innovative bristle configuration, ensuring consistently high washout quality over the years. New water circuit system secure constant washout temperature, completely new wiping/cleaning system ensures higher quality of the finished plates, and guarantees less wear on the brushes, as well as easier adjustment during maintenance.



KEY FEATURES:

- **Closed Loop operation with Water Distillation Unit (WDU200) included:** Paired with an automatic water distillation unit, the unit ensures a sustainable "**closed-loop**" **system by reusing water**, efficiently collecting only the monomer. This system guarantees top-tier washing quality with minimal maintenance and no water disposal required.
- **Reliability and Low Maintenance:** the unit has fewer components compared to competitors, resulting in **greater reliability and reduced maintenance costs.**
- **iFlexo: Data and Remote Control:** you have the option to equip the unit with iFlexo; a high performance software that provides **remote control and upgrades by TFC**, extended data collection, and a monitoring system with preventive warnings about wear and tear of parts.
- **Energy Efficiency:** the unit operates on a **single-phase 220-240V** power supply, significantly **reducing energy consumption.**
- Compact Design: the smallest footpint of in category
- **Technical Support: The Flexo Company ensures 7/7 technical support** to promptly address any issues and minimize disruptions. Tailor-made maintenance packages are available to ensure optimal performance.



Technical Data:

Dimension:

Weight:

cm W200xL495xH108 / in W79xL195xH43

1280 kg / 2820 lb

Power Supply:

220/240 V 50/60Hz F+N+Gnd

Air Supply:

min 6 Bar / max 10 Bar

EXPLORE

THE FULL CATALOG OF PRODUCTS ON OUR WEBSITE: www.theflexocompany.com/products



78 av. des Champs Elysées, 75008 Paris, France info@theflexocompany.com www.theflexocompany.com

All information contained in this brochure is for display purposes only and subject to change without notice.